

# Beacons

LED beacons



## 360° LED Beacon

<b>Height:</b>	130mm (5")
<b>Width:</b>	290mm (11.4")

L

- Dual Voltage
- 30 Flash Patterns
- Clear lens coloured LED's
- Upward Lighting
- 360 degree Vertical and Horizontal Coverage
- Bolt or Magnetic Mount
- Reg 65 Class 1 Blue option



### Bolt Mount

LB745-000	Blue
LB745-004	Red
LB745-002	Amber

### Magnetic Mount

LB745-001	Blue
LB745-005	Red
LB745-003	Amber

### ECE REG 65

LB745-006	Blue
-----------	------



## 390 Series

### Flexible fixing including single bolt, three bolt, magnetic and plug-in

Compact but powerful halogen rotating beacon

- UV stabilised polycarbonate lens
- Lens colour: amber, blue, E blue, clear, green, red
- Single voltage application: 12v rotator 4.5amps @ 55watts  
24v rotator 3 amps @ 70watts
- Rotation speed 160/min standard
- Reg 65 Class 1 Blue and Amber option
- Chapter 8 Amber option

<b>Diameter:</b>	153mm
<b>Height:</b>	165mm
<b>Weight:</b>	0.77kg



#### 390 Three bolt fixing

##### Popular Models

390.00	Amber
390.01	Blue
390.02	Red

<b>Diameter:</b>	149mm
<b>Height:</b>	206mm
<b>Weight:</b>	0.77kg



#### 391 Single bolt fixing

##### Popular Models

391.00	Amber
391.01	Blue
391.02	Red

Please specify voltage when ordering



#### Magnetic Mount Beacons

These magnetic beacons are intended for temporary use and need to be further secured with the use of a fixed lanyard.

<b>Diameter:</b>	149mm
<b>Height:</b>	236mm
<b>Weight:</b>	0.8kg



#### 392 Plug-in bolt fixing

##### Popular Models

392.00	Amber
392.01	Blue
392.02	Red

<b>Diameter:</b>	149mm
<b>Height:</b>	285mm
<b>Weight:</b>	1.27kg



#### 394 Magnetic Mount

##### Popular Models

394.70	Amber
394.71	Blue
394.72	Red

#### Spare Parts for 390 series

802521	Amber lens
802534	Blue lens
802522	Red lens
550100	12v 55w H1 halogen bulb
550200	24v 70w H1 halogen bulb

#### Lens & Voltage Options

- Lens colours: Amber, Blue, Red
- Single voltage application: 12V or 24V
- 12V rotator: 4.5amps @ 55watts
- 24V rotator: 3amps @ 70watts

# Beacons

## Halogen rotating beacons

<b>Diameter:</b>	158mm
<b>Height:</b>	108mm
<b>Weight:</b>	0.4kg



### 880 Three bolt fixing (available in 12V or 24V)

#### Popular Models

880-H-12-A	12v Amber
880-H-12-B	12v Blue
880-H-12-EB	12v E Blue
880-H-12-R	12v Red
880-H-12-G	12v Green

<b>Diameter:</b>	158mm
<b>Height:</b>	132mm
<b>Weight:</b>	0.8kg



### 880M Magnetic Mounts (available in 12V or 24V)

#### Popular Models

880M-H-12-A	12v Amber
880M-H-12-B	12v Blue
880M-H-12-EB	12v E Blue
880M-H-12-R	12v Red
880M-H-12-G	12v Green



### Spare Parts for 880 series

301902	Amber lens
301901	Blue lens
301901-E	E blue lens
301900	Clear lens
301905	Green lens
301903	Red lens
103800	Lens clip
900910	12v rotator assembly
901001	24v rotator assembly
550100	12v 55w H1 bulb
550200	24v 70w H1 bulb

Not Approved to Regulation ECE65

- Reg 65 Class 1 approved
- Chapter 8 Amber option

<b>Diameter:</b>	123mm
<b>Height:</b>	179mm
<b>Weight:</b>	1.8kg



### B21 Single Bolt Fixing

#### Popular Models

B21.00.12V
B21.00.24V

#### Spare Parts

10514.00	Amber Lens, Polycarbonate
H448	12V (55w) Halogen Bulb
H466	24V (70w) Halogen Bulb
27031	Bulb retaining clip

<b>Diameter:</b>	183mm
<b>Height:</b>	162mm
<b>Weight:</b>	1.27kg



### B24.70 Magnetic Mount

#### Popular Models

B24.70.12V
B24.70.24V

#### Spare Parts

10514.00	Amber Lens, Polycarbonate
H448	12V (55w) Halogen Bulb
H466	24V (70w) Halogen Bulb
27031	Bulb retaining clip





**Low profile dimensions**

<b>Height:</b>	127mm
<b>Diameter:</b>	147mm

**High profile dimensions**

<b>Height:</b>	178mm
<b>Diameter:</b>	147mm

- High intensity beacon
- Ideal for airports and internal use
- UV stabilised polycarbonate lens
- Lens colour: amber, blue, clear, green, red
- Voltage: 12v or 24v
- Current draw: 12v 4.5amp  
24v 3amp

**1084  
Low Profile**



**1084  
Low Profile**



**1086  
High Profile**



**Rotating Beacon**

**12Volt**

1084-H-12-A	Three bolt fixing
1084BM-H-12-A	Single bolt fixing
1084M-H-12-A	Magnetic mount
1086-H-12-A	Three bolt fixing
1086BM-H-12-A	Single bolt fixing
1086M-H-12-A	Magnetic mount

**24Volt**

1084-H-24-A	Three bolt fixing
1084BM-H-24-A	Single bolt fixing
1084M-H-24-A	Magnetic mount
1086-H-24-A	Three bolt fixing
1086BM-H-24-A	Single bolt fixing
1086M-H-24-A	Magnetic mount

# Beacons

## Strobe Beacons

### Strobe Beacons

For dual voltage applications 12v & 24v



<b>Diameter:</b>	153mm
<b>Height:</b>	179mm
<b>Weight:</b>	0.77kg

#### 290 Three bolt fixing

##### Popular Models

290.00	Amber
290.01	Blue
290.02	Red

Less than 1 amp current draw



<b>Diameter:</b>	155mm
<b>Height:</b>	182mm
<b>Weight:</b>	1.27kg

#### 294 Magnetic Mount



##### Popular Models

294.00	Amber
294.02	Red

Less than 1 amp current draw

### Multi Voltage Strobe Beacon

#### 470 Two bolt fixing

##### Popular Models

470S-A	Amber
470S-B	Blue
470S-C	Clear
470S-G	Green
470S-R	Red

##### Spare Parts

801808	Amber lens
801806	Blue lens
801809	Clear lens
801805	Green lens
801807	Red lens
559810	5001 strobe tube

- Compact and powerful single flash strobe
- 60 to 80 flashes per minute
- Suitable for battery powered vehicles
- Voltage range 12-80V DC, 470 AC operates at 120V AC
- Lens colours: Amber, blue, clear, green, red
- Low consumption 0.1 - 0.4 amps

<b>Diameter:</b>	76mm
<b>Height:</b>	127mm
<b>Weight:</b>	0.28kg





### Low profile dimensions

<b>Height:</b>	117.5mm
<b>Diameter:</b>	161.4mm

### High profile dimensions

<b>Height:</b>	166.7mm
<b>Diameter:</b>	161.4mm

- 160 flash per minute high intensity double flash strobe beacon
- UV stabilised polycarbonate fresnel lens
- Lens colours: amber, blue, clear, green, red
- Single voltage application: 12v strobe head – 1.6amps  
24v strobe head – 0.8amps
- All beacons polarity protected and have RFI suppression
- Available in 12 or 24 volt

## Low Profile Strobe Beacons

### 1204 Three bolt fixing

#### Popular Models

1204-S-12-A 12v	Amber
1204-S-12-B 12v	Blue
1204-S-12-R 12v	Red
1204-S-24-A 24v	Amber



### 1204BM Single bolt fixing

#### Popular Models

1204BM-S-12-A 12v	Amber
1204BM-S-12-B 12v	Blue
1204BM-S-12-R 12v	Red
1204BM-S-24-A 24v	Amber



### 12054 Single bolt mount

#### Popular Models

12054B	Blue
12054R	Red
12054A	Amber
12054G	Green

### 1204M Magnetic Mount



#### Popular Models

1204M-S-12-A 12v	Amber
1204M-S-12-B 12v	Blue
1204M-S-12-R 12v	Red
1204M-S-24-A 24v	Amber



### 1205M4 Magnetic Mount

#### Popular Models

1205M4B	Blue
1205M4R	Red
1205M4A	Amber
1205M4G	Green

## High Profile Strobe Beacons

### 1206 Three bolt fixing

#### Popular Models

1206-S-12-A 12v	Amber
1206-S-12-B 12v	Blue
1206-S-12-R 12v	Red
1206-S-24-A 24v	Amber



Not Approved to Regulation ECE65

### 1206BM Single bolt fixing

#### Popular Models

1206BM-S-12-A 12v	Amber
1206BM-S-12-B 12v	Blue
1206BM-S-12-R 12v	Red



### 12056 Single bolt fixing

#### Popular Models

12056B	Blue
12056R	Red
12056A	Amber
12056G	Green

Not Approved to Regulation ECE65

### 1206M Magnetic mount

#### Popular Models

1206M-S-12-A 12v	Amber
1206M-S-12-B 12v	Blue
1206M-S-12-R 12v	Red



### 1205M6 Magnetic mount

#### Popular Models

1205M6B	Blue
1205M6R	Red
1205M6A	Amber
1205M6G	Green

Not Approved to Regulation ECE65

Weight 1.0kg